Amendments to the Claims:

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1. (Original) An IRM-support complex comprising an IRM compound attached to a macromolecular support material.
- 2. (Original) The IRM-support complex of claim 1, wherein the IRM compound is covalently attached to the macromolecular support material.
- 3. (Original) The IRM-support complex of claim 1, wherein the macromolecular support material is selected from the group consisting of a gel, a foam, a sponge, a fiber, a hydrogel, and a bead.
- 4. (Original) The IRM-support complex of claim 1, wherein the IRM compound is an agonist of at least one TLR.
- 5. (Original) The IRM-support complex of claim 4, wherein the TLR is selected from the group consisting of TLR6, TLR7, TLR8, and combinations thereof.
- 6. (Original) The IRM-support complex of claim 1, wherein the IRM compound is a small molecule immune response modifier.
- 7. (Original) The IRM-support complex of claim 1, wherein the IRM compound is selected from the group consisting of imidazoquinoline amines; tetrahydroimidazoquinoline amines; and imidazopyridine amines; 1,2-bridged imidazoquinoline amines; 6,7-fused cycloalkylimidazopyridine amines; imidazonaphthyridine amines; tetrahydroimidazonaphthyridine amines; oxazoloquinoline amines; thiazoloquinoline amines; oxazolopyridine amines; thiazolopyridine amines; oxazolopyridine amines;

thiazolonaphthyridine amines; 1*H*-imidazo dimers fused to pyridine amines, quinoline amines, tetrahydroquinoline amines, naphthyridine amines, or tetrahydronaphthyridine amines; and combinations thereof.

- 8. (Original) The IRM-support complex of claim 1, wherein the IRM compound is selected from the group consisting of purines, imidazoquinoline amides, benzimidazoles, 1*H*-imidazopyridines, adenines, and derivatives thereof.
- 9. (Original) The IRM-support complex of claim 1, wherein the IRM compound comprises a 2-aminopyridine fused to a five-membered nitrogen-containing heterocyclic ring.
- 10. (Withdrawn) The IRM-support complex of claim 1, wherein the IRM compound comprises a 4-aminopyrimidine fused to a five-membered nitrogen containing heterocyclic ring.
- 11. (Original) The IRM-support complex of claim 1, wherein the macromolecular support material has an average largest dimension of at least 1 nm.
- 12. (Original) An IRM-support complex comprising an immune response modifier attached to a polymer.
- 13. (Original) The IRM-support complex of claim 12, wherein the immune response modifier is covalently attached to the polymer.
- 14. (Original) The IRM-support complex of claim 13, wherein the polymer is a bioadhesive polymer.
- 15. (Withdrawn) A medical article coated with the IRM-support complex of claim 12.
- 16. (Withdrawn) A medical article comprising an IRM-support complex, wherein the IRM-support complex comprises an IRM compound attached to a macromolecular support material.

17. (Withdrawn) The medical article of claim 16, wherein the medical article is selected from the group consisting of a stent, a shunt, an artificial valve, a suture, a surgical clip, a surgical staple, an indwelling catheter, a dental implant, an orthopedic implant, a surgical prosthetic, an implantable vascular access port, an artificial heart, a ventricular assist pump, a blood oxygenator, a blood filter, a hemodialysis unit, a hemoperfusion unit, a conduit tube within a heart lung machine, a tube within a dialysis apparatus, a tube within a plasmapheresis unit, an artificial pancreas, an artificial liver, an artificial lung, an intraocular lens, and a contact lens.

- 18. (Withdrawn) The medical article of claim 17 which is an implantable device.
- 19. (Withdrawn) A stent, shunt, or valve comprising a surface having an immune response modifier attached thereto.
- 20. (Withdrawn) The stent, shunt, or valve of claim 19, wherein the immune response modifier is covalently attached to the surface of the stent, shunt, or valve.
- 21. (Withdrawn) A medical article having disposed thereon an IRM, with the proviso that the medical article is not a periochip.
- 22. (Withdrawn) The medical article of claim 21 selected from the group consisting of a stent, a shunt, an artificial valve, a suture, a surgical clip, a surgical staple, an indwelling catheter, a dental implant, an orthopedic implant, a surgical prosthetic, an implantable vascular access port, an artificial heart, a ventricular assist pump, a blood oxygenator, a blood filter, a hemodialysis unit, a hemoperfusion unit, a conduit tube within a heart lung machine, a tube within a dialysis apparatus, a tube within a plasmapheresis unit, an artificial pancreas, an artificial liver, an artificial lung, an intraocular lens, and a contact lens.
- 23. (Withdrawn) The medical article of claim 22 which is a stent.

24. (Withdrawn) A formulation comprising an IRM-support complex comprising a first immune response modifier that is attached to a macromolecular support.

- 25. (Withdrawn) The formulation of claim 24 further comprising a second immune response modifier that is not attached to the macromolecular support material.
- 26. (Withdrawn) The formulation of claim 24 further comprising a solvent.
- 27. (Withdrawn) The formulation of claim 24 which is in the form of a gel.
- 28. (Withdrawn) A method of making an IRM-support complex comprising attaching an immune response modifier to a macromolecular support material.
- 29. (Withdrawn) The method of claim 28, wherein the immune response modifier is covalently attached to the macromolecular support material.
- 30. (Withdrawn) The method of claim 28, wherein the method comprises modifying the IRM to comprise an alkoxysilane moiety.
- 31. (Withdrawn) The method of claim 30, wherein the IRM-modified alkoxysilane is attached to a silicon-containing support material.
- 32. (Withdrawn) A method of treating a viral infection in a subject comprising administering to the subject an IRM-support complex of claim 1.
- 33. (Withdrawn) The method of claim 32, wherein the IRM-support complex is administered orally, nasally, ocularly, vaginally, transcutaneously, or rectally.
- 34. (Withdrawn) A method of treating an atopic immune response in a subject comprising administering to the subject an IRM-support complex of claim 1.

35. (Withdrawn) The method of claim 34, wherein the IRM-substrate is administered orally, nasally, vaginally, ocularly, transcutaneously, or rectally.

- 36. (Withdrawn) A method of preventing the restenosis in a subject comprising implanting into the subject a stent having an IRM attached thereto.
- 37. (Withdrawn) A method of preventing the restenosis in a subject comprising implanting into the subject a stent having an IRM disposed thereon.
- 38. (Withdrawn) The method of claim 37, wherein the IRM compound is an agonist of at least one TLR.
- 39. (Withdrawn) The method of claim 38, wherein the TLR is selected from the group consisting of TLR6, TLR7, TLR8, and combinations thereof.
- 40. (Withdrawn) The method of claim 37, wherein the IRM compound is a small molecule immune response modifier.
- 41. (Withdrawn) The method of claim 37, wherein the IRM compound is selected from the group consisting of imidazoquinoline amines; tetrahydroimidazoquinoline amines; and imidazopyridine amines; 1,2-bridged imidazoquinoline amines; 6,7-fused cycloalkylimidazopyridine amines; imidazonaphthyridine amines; tetrahydroimidazonaphthyridine amines; oxazoloquinoline amines; thiazoloquinoline amines; oxazolopyridine amines; thiazolopyridine amines; oxazolonaphthyridine amines; thiazolonaphthyridine amines; 1*H*-imidazo dimers fused to pyridine amines, quinoline amines, tetrahydroquinoline amines, naphthyridine amines, or tetrahydronaphthyridine amines; and combinations thereof.

42. (Withdrawn) The method of claim 37, wherein the IRM compound is selected from the group consisting of purines, imidazoquinoline amides, benzimidazoles, 1*H*-imidazopyridines, adenines, and derivatives thereof.

- 43. (Withdrawn) The method of claim 37, wherein the IRM compound comprises a 2-aminopyridine fused to a five-membered nitrogen-containing heterocyclic ring.
- 44. (Withdrawn) The method of claim 37, wherein the IRM compound comprises a 4-aminopyrimidine fused to a five-membered nitrogen containing heterocyclic ring.
- 45. (Withdrawn) A method of modifying the cytokine induction profile of an IRM by attaching the IRM to a macromolecular support complex.
- 46. (Withdrawn) The method of claim 45, wherein the cytokine induction profile is modified in favor of interferon α induction.
- 47. (Withdrawn) A method of preventing systemic adsorption of an immune response modifier by a subject comprising administering to the subject an IRM-support complex comprising said immune response modifier attached to a macromolecular support material.
- 48. (Withdrawn) A method of activating dendritic cells by permitting the cells contact an IRM compound attached to a macromolecular support material.
- 49. (Withdrawn) A method of treating solid tumors in a subject comprising administering to the subject an IRM-support complex comprising an IRM compound attached to a macromolecular support material.
- 50. (Withdrawn) A method of treating cervical dysplasia in a subject comprising applying to the cervix an IRM-support complex comprising an IRM compound attached to a macromolecular support material.

51. (Withdrawn) A method of treating bladder cancer in a subject comprising applying to the bladder an IRM support complex comprising an IRM compound attached to a macromolecular support material.